

# Novelties 2022



**seranit**

TILES • BATHROOMS

30<sup>th</sup> years





# Index

## MARBLE 06

Aura	07	Imperial	21
Blue Stone	09	Irene	23
Dream	11	Lapis	25
Etna	13	Marmo Bianco	27
Golden	15	Ocean Blue	29
Galaxy	17	Santorini	31
Havana	19	Volga	33
		Zion	35



## WOOD 36

Markuteri	37
Naturalwood	39

## CONCRETE 40

Alba	41
Altus	43
Beton	45
Casa	47
Garden <small>12mm</small>	49
Rebus	51
Vesna	53





## STONE 54

Lime Stone | 55

Reyka | 57

## TECHNICAL PORCELAIN 58

Cosmos | 59

Magnes | 61

Serena | 63



## WALL & FLOOR 64

Allegra	65	Nora	85
Cosy	67	New Calacatta	87
Fiora	69	Odin	89
Frezya	71	Poetry	91
Grace	73	Rain	93
Graven	75	Rio Marmo	95
Havana	77	Style Pastel	97
Metal Fusion	79	Spectra	99
Murales	81	Trigo	101
Mirage	83		



**40x80**

**102**

**45x90 6mm**

- Olimpia 6mm | 103
- Alaska 6mm | 105
- Odin 6mm | 107
- Frezya 6mm | 109
- Spectra 6mm | 111
- Beton-Etna 6mm | 113

**MICROMIX**

**114**

- |                    |                 |
|--------------------|-----------------|
| Brushed Line   115 | Orion   127     |
| Bali Stone   117   | Orleans   129   |
| Countrywood   119  | Pastel   131    |
| Efes Marble   121  | Pavimento   133 |
| Iris   123         | Spectra   135   |
| Nikea   125        | Cometa   136    |
|                    | Sicuro   137    |
|                    | Trevo   139     |
|                    | Tulipa   141    |



**TERRAZZO**

**142**

- Terrazzo | 143
- Litta | 145

**TECHNICAL  
INFORMATIONS**

**146**



**MARBLE  
AURA**

GLAZED PORCELAIN




# AURA

---



Grey -Lappato / Full Lappato



60x120cm/24"x48"

## Usage Areas

---



\*\*Valid only for lappato products

**MARBLE**  
**BLUE STONE**

GLAZED PORCELAIN







**MARBLE  
DREAM**

GLAZED PORCELAIN



# DREAM


---




White - Matt / Lappato/ Full Lappato



White - Lappato



60x120cm/24''x48''



90x90cm/35''x35''

## Usage Areas

---



\* Valid only for matt products

\*\*Valid only for lappato products



**MARBLE  
ETNA**

GLAZED PORCELAIN





Grey - Lappato / Full Lappato




Mocha - Lappato / Full Lappato



Anthracite - Lappato / Full Lappato



60x120cm/24''x48''



90x90cm/35''x35''

## Usage Areas

---



\*Valid only for lappato products



**MARBLE  
GOLDEN**

GLAZED PORCELAIN



# GOLDEN


---



White - Lux / Lappato



Grey - Lux / Lappato



90x90cm/35''x35''

## Usage Areas





**MARBLE  
GALAXY**

GLAZED PORCELAIN





# GALAXY


---



Grey - Soft / Lappato



Black - Soft / Lappato



90x90cm/35''x35''

## Usage Areas



**MARBLE  
HAVANA**

GLAZED PORCELAIN





**MARBLE  
IMPERIAL**

GLAZED PORCELAIN



# IMPERIAL


---




Black - Matt / Lappato / Full Lappato / Relief



Black - Lux



60x120cm/24''x48''



90x90cm/35''x35''

## Usage Areas

---



\* Valid only for lappato and matt products



**MARBLE  
IRENE**

GLAZED PORCELAIN



# IRENE

---



White / Matt



Beige / Matt



Taupe / Matt



Black / Matt



60x60cm/24''x24''

## Usage Areas

---





**MARBLE  
LAPIS**

GLAZED PORCELAIN



# LAPIS


---



Light Grey / Matt



Dark Grey / Matt



Anthracite / Matt



60x60cm/24''x24''

## Usage Areas

---



**MARBLE**  
**MARMO BIANCO**

GLAZED PORCELAIN



# MARMO BIANCO

---




White - Matt / Lappato / Full Lappato



Line Decor - White / Matt



60x120cm/24''x48''



\*\*\*90x90cm/35''x35''

## Usage Areas

---



\* Valid only for matt products

\*\*Valid only for lappato and matt products

\*\*\*Valid only for lux products



**MARBLE  
OCEAN**

GLAZED PORCELAIN



# OCEAN

---



Blue - Full Lappato



60x120cm/24"x48"

## Usage Areas

---



**MARBLE  
SANTORINI**

**GLAZED PORCELAIN**





# SANTORINI

---




White - Matt / Lappato / Full Lappato



White - Lux



60x120cm/24''x48''



\*\*\*90x90cm/35''x35''

## Usage Areas

---



\*Valid only for matt products.

\*\*Valid only for lappato and matt products.

\*\*\*Valid only for lux products

**MARBLE  
VOLGA**

GLAZED PORCELAIN



# VOLGA

---




Black / Lux



Black / Lappato



60x120cm/24''x48''



\*90x90cm/35''x35''

## Usage Areas

---



\* Valid only for lappato products.

MARBLE  
ZION

GLAZED PORCELAIN






# ZION

---



Black / Lux



60x120cm/24''x48''

## Usage Areas

---



WOOD  
MARKUTERI

GLAZED PORCELAIN



# MARKUTERI

---



Grey - Matt / Lappato



Brown - Matt / Lappato



60x60cm/24''x24''

## Usage Areas

---



\*Valid only for matt products.



WOOD  
NATURALWOOD


GLAZED PORCELAIN






# NATURALWOOD


---



Brown - Matt



Light Brown - Matt



Red Brown - Matt



60x120cm/24''x48''



\*30x120 cm / 8''x48''



\*20x120 cm / 8''x48''

## Usage Areas

---



\*The size is 197x1200 mm., 297x1200 mm.

CONCRETE  
ALBA

GLAZED PORCELAIN



# ALBA

---



White - Matt



Grey - Matt




Dark Grey - Matt



Anthracite - Matt



60x120cm/24''x48''



60x60cm/24''x24''



30x60cm/12''x24''

## Usage Areas

---



**CONCRETE  
ALTUS**

GLAZED PORCELAIN





# ALTUS

---



Cement - Matt




Concrete - Matt



Grit - Matt




Basalt - Matt



60x60cm/24''x24''



30x60cm/12''x24''



\*10x10cm/4''x4''

## Usage Areas

---



\*12 pieces 10x10 tiles are presented with nets

CONCRETE  
BETON

GLAZED PORCELAIN



# BETON



White - Matt / Lappato



Cream - Matt / Lappato



Olive - Matt / Lappato




Grey - Matt / Lappato




Taupe - Matt / Lappato




Anthracite - Matt / Lappato




60x60cm/24''x24''



60x120cm/24''x48''



70x70cm/28''x28''



90x90cm/35''x35''

## Usage Areas



\*Valid only for lappato and matt products.

CONCRETE  
CASA

GLAZED PORCELAIN





# CASA

---



White - Matt



Sand - Matt



Grey - Matt



Anthracite - Matt



30x60cm/12''x36''

## Usage Areas

---



**CONCRETE  
GARDEN**  12 mm

GLAZED PORCELAIN



# GARDEN 12 mm

---




White - Matt



Grey - Matt



Anthracite - Matt



60x60cm/24''x24''

## Usage Areas

---



**CONCRETE  
REBUS**

**GLAZED PORCELAIN**





# REBUS

---



Grey - Matt




Taupe - Matt




Anthracite - Matt



Black - Matt



70x70cm/28"x28"



90x90cm/35"x35"

## Usage Areas

---



CONCRETE  
VESNA

GLAZED PORCELAIN



# VESNA

---



White - Matt



Grey - Matt




Anthracite - Matt




60x120cm/24''x48''



30x60cm/12''x36''



10x11.6 / 4''x5''



\*10x10cm/4''x4''

## Usage Areas



\*12 pieces 10x10 tiles are presented with nets



STONE  
LIME STONE

GLAZED PORCELAIN





# LIME STONE

---



White - Matt



Sand - Matt



Grey - Matt



Taupe - Matt



Bitter - Matt



Anthracite - Matt



60x120cm/24"x48"

## Usage Areas

---



STONE  
REYKA

GLAZED PORCELAIN



# REYKA

---



White - Matt



Cream - Matt



Grey - Matt



Mocha - Matt



Anthracite - Matt




60x120cm/24"x48"

## Usage Areas

---









# COSMOS

---



White - Matt / Polished




Vizon - Matt / Polished




Grey - Matt / Polished



Dark Grey - Matt / Polished



Black - Matt / Polished



90x90cm/35"x35"

## Usage Areas

---



\* Valid only for matt products.

\*\*Valid only for homogeneous and line products.

Homogeneous and line fons are available in colors above.



# MAGNES



White - Matt / Polished



White Line - Matt / Polished



White Homogeneous - Matt / Polished



Grey - Matt / Polished




Taupe - Matt / Polished



Vizon - Matt / Polished



Anthracite - Matt / Polished



90x90cm/35"x35"

## Usage Areas



\* Valid only for matt products.

\*\*Valid only for homogeneous and line products.

Homogeneous and line fons are available in colors above.


# HOMOGENEOUS SERENA

TECHNICAL PORCELAIN





# SERENA



Super White - Matt / Polished



Grey 441 - Matt / Polished



Beige - Matt / Polished



Grey 443 - Matt / Polished




Grey 445 - Matt / Polished




Brown 114 - Matt / Polished



Super Black - Matt / Polished



Brown 116 - Matt / Polished



## Usage Areas



\*Valid only for matt products.



# ALLEGRA

---



40x120 cm /16"x48" / White - Matt



40x120 cm /16"x48" / Taupe - Matt



40x120 cm /16"x48" / White Taupe Decor - Matt



60x60 cm /24"x24" / White - Lappato

## Usage Areas

---



\*Valid only for lappato products.





# COSSY

---



30x90 cm / 12"x36" / White - Matt



30x90 cm / 12"x36" / Grey - Matt



30x90 cm / 12"x36" / White Wall Decor - Matt



30x90 cm / 12"x36" / Grey Wall Decor - Matt



60x60 cm / 24"x24" / White - Matt



60x60 cm / 24"x24" / Grey - Matt

## Usage Areas

---





# FIORA



30x90 cm /12"x36" / White - Glossy



30x90 cm /12"x36" / White Decor - Glossy



30x90 cm /12"x36" / White / Modul Decor - Glossy



30x90 cm /12"x36" / Beige Decor - Glossy



30x90 cm /12"x36" / Beige - Glossy



60x60 cm /24"x24" / Beige - Glossy



60x60 cm /24"x24" / White - Glossy



30x90 cm /12"x36" / Beige / Modul Decor - Glossy



30x90 cm /12"x36" / Grey - Glossy



30x90 cm /12"x36" / Grey Decor - Glossy



30x90 cm /12"x36" / Grey / Modul Decor - Glossy




30x90 cm /12"x36" / Anthracite Decor - Glossy



30x90 cm /12"x36" / Anthracite - Glossy



60x60 cm /24"x24" / Grey - Glossy



60x60 cm /24"x24" / Anthracite - Glossy



30x90 cm /12"x36" / Anthracite / Modul Decor - Glossy



## Usage Areas







# FREZYA




30x90 cm / 12"x36" / White / Oro Fon - Matt



30x60 cm / 12"x24" / White - Matt



30x90 cm / 12"x36" / White / Oro Decor - Matt



60x60 cm / 24"x24" / White / Lappato - Matt



20x20 cm / 8"x8" / White - Matt



10x11,6 cm / 4"x5" / White - Matt



\*10x10 cm / 4"x4" / White - Matt

## Usage Areas



\*12 pieces 10x10 tiles are presented with nets.



# GRACE



30x90 cm / 12"x36" / White - Matt



30x90 cm / 12"x36" / Beige - Matt



30x90 cm / 12"x36" / Grey - Matt



30x90 cm / 12"x36" / Vizon - Matt



30x90 cm / 12"x36" / Double Decor / White & Grey - Matt



30x90 cm / 12"x36" / Double Decor / Beige & Vizon - Matt



30x90 cm / 12"x36" / Line Decor / White & Grey - Matt



30x90 cm / 12"x36" / Line Decor / Beige & Vizon - Matt



30x90 cm / 12"x36" / Fascia Decor / White & Grey - Matt




30x90 cm / 12"x36" / Fascia Decor / Beige & Vizon - Matt




60x60 cm / 24"x24" / White - Matt



60x60 cm / 24"x24" / Grey - Matt



60x60 cm / 24"x24" / Beige - Matt



60x60 cm / 24"x24" / Vizon - Matt



## Usage Areas







# GRAVEN

---



30x90 cm / 12"x36" / White - Glossy



30x90 cm / 12"x36" / Grey - Glossy



30x90 cm / 12"x36" / Anthracite - Glossy



30x90 cm / 12"x36" / Mix Decor - Glossy



60x60 cm / 24"x24" / Grey - Glossy



---

## Usage Areas





# HAVANA

---



60x120 cm / 24"x48" / White - Glossy



30x90 cm / 12"x36" / White - Glossy



60x60 cm / 24"x24" / White - Lappato / Glossy



## Usage Areas

---



\* Valid only for lappato products.





# METAL FUSION



30x90 cm / 12"x36" / White - Matt



30x90 cm / 12"x36" / Oxide - Matt



30x90 cm / 12"x36" / Grey - Matt



30x90 cm / 12"x36" / Anthracite - Matt



60x60 cm / 24"x24" / White - Matt



60x60 cm / 24"x24" / Oxide - Matt



60x60 cm / 24"x24" / Grey - Matt



60x60 cm / 24"x24" / Anthracite - Matt



Usage Areas





# MURALES



30x90 cm / 12"x36" / White - Matt



30x90 cm / 12"x36" / White Decor - Matt



30x90 cm / 12"x36" / Cream - Matt



30x90 cm / 12"x36" / Cream Decor - Matt



30x90 cm / 12"x36" / Grey - Matt



30x90 cm / 12"x36" / Grey Decor - Matt



30x90 cm / 12"x36" / Taupe - Matt



30x90 cm / 12"x36" / Taupe Decor - Matt



60x60 cm / 24"x24"  
White - Matt



60x60 cm / 24"x24"  
Cream - Matt



60x60 cm / 24"x24"  
Grey - Matt



60x60 cm / 24"x24"  
Taupe - Matt



## Usage Areas









# MIRAGE

---



40x120cm 16"x48" / White - Matt



40x120cm 16"x48" / Flower Decor - Matt



20x23cm 8"x9" / White - Matt



20x23cm 8"x9" / Mix Flower Decor - Matt

## Usage Areas

---



\*Consists of 20x23 cm 19 face decor



# NORA




40x120cm 16"x48" / Grey - Matt



40x120cm 16"x48" / Grey Geo Decor - Matt



40x120cm 16"x48" / Grey Leaf Decor - Matt



40x120cm / 16"x48" / Cream - Matt



40x120cm / 16"x48" / Cream Geo Decor - Matt



40x120cm / 16"x48" / Cream Leaf Decor - Matt



40x120cm / 16"x48" / Taupe - Matt



40x120cm / 16"x48" / Taupe Geo Decor - Matt



40x120cm / 16"x48" / Taupe Leaf Decor - Matt



20x23cm / 8"x9" / White Leaf Decor - Matt



20x23cm / 8"x9" / Black Leaf Decor - Matt

## Usage Areas







# NEW CALACATTA

---



30x90 cm / 12"x36" / Grey - Glossy



30x90 cm / 12"x36" / Gold / Glossy



60x60 cm / 24"x24" / Gold / Glossy / Lappato



60x60 cm / 24"x24" / Grey / Glossy / Lappato



## Usage Areas

---



\*Valid only for lappato products.



# ODIN



40x120 cm /16"x48" / White - Glossy



40x120 cm /16"x48" / Black - Glossy



60x60 cm /24"x24"- White  
Floor Tile/ Glossy - Lappato



60x60 cm /24"x24"- Black  
Floor Tile /Glossy - Lappato



## Usage Areas



\*Valid only for lappato products.





# POETRY




40x120cm / 16"x48" / White Fon - Matt



20x23cm / 8"x9" / White Fon - Matt



40x120cm / 16"x48" / Black Fon - Matt



20x23cm / 8"x9" / Black Fon - Matt



40x120cm / 16"x48" / Black Leaf Decor - Matt



20x23cm / 8"x9" / Black / Leaf Decor - Matt




40x120cm / 16"x48" / White Leaf Decor - Matt



20x23cm / 8"x9" / White / Leaf Decor - Matt

## Usage Areas



Fon Decor



# RAIN



30x90 cm / 12"x36" / Beige - Matt



30x90 cm / 12"x36" / Grey - Matt



30x90 cm / 12"x36" / Beige Linear Decor - Matt



30x90 cm / 12"x36" / Grey Linear Decor - Matt



30x90 cm / 12"x36" / Beige Circle Decor - Matt



30x90 cm / 12"x36" / Grey Circle Decor - Matt



60x60 cm / 24"x24" / Beige - Lapato



60x60 cm / 24"x24" / Grey - Lapato

## Usage Areas









# RIO MARMO



40x120 cm / 16"x48" / Grey - Glossy



40x120 cm / 16"x48" / Black - Glossy



40x120 cm / 16"x48" / Ivory - Glossy



40x120 cm / 16"x48" / Green - Glossy



60x60 cm / 24"x24" / Grey  
Glossy - Lappato



60x60 cm / 24"x24" / Ivory  
Glossy - Lappato



60x60 cm / 24"x24" / Green  
Glossy - Lappato



60x60 cm / 24"x24" / Black  
Glossy - Lappato

## Usage Areas



\*Valid only for lappato products.






# STYLE PASTEL



60x120 cm / 24"x48" / Light Blue - Matt



60x120 cm / 24"x48" / Light Pink - Matt



60x120 cm / 24"x48" / Light Green - Matt



60x120 cm / 24"x48" / Ash - Matt



60x120 cm / 24"x48" / Earth - Matt



60x120 cm / 24"x48" / Dark Blue - Matt



60x120 cm / 24"x48" / Dark Green - Matt



60x120 cm / 24"x48" / Smoke - Matt



60x120 cm / 24"x48" / Salmon - Matt



60x120 cm / 24"x48" / Amazon Blue / Decor - Matt



60x120 cm / 24"x48" / Amazon Salmon / Decor - Matt



60x120 cm / 24"x48" / Botanic / Decor - Matt



60x120 cm / 24"x48" / Botanic Warm / Decor - Matt



60x120 cm / 24"x48" / Azul / Decor - Matt



60x120 cm / 24"x48" / Azul Green / Decor - Matt




## Usage Areas








# SPECTRA




40x120 cm / 16"x48" / White / Matt - Glossy




40x120 cm / 16"x48" / White Decor / Matt - Glossy




40x120 cm / 16"x48" / White Line Decor / Matt- Glossy



20x120 cm 8"x48" Skirting & Finishing Matt - Glossy




5x30 cm 6"x16" Skirting & Finishing Matt - Glossy



30x60 cm / 12"x24" / White / Matt-Glossy




30x60 cm / 12"x24" / Black / Matt - Glossy




30x60 cm / 12"x24" / Bambus Decor  
Matt - Glossy




30x60 cm / 12"x24" / Wavy Decor  
Matt - Glossy



30x60 cm / 12"x24" / Corintia Decor  
Matt - Glossy




60x60cm / 24"x24"  
White - Lappato




30x90 cm / 12"x36" / White / Matt - Glossy



30x90 cm / 12"x36" / Black / Matt-Glossy



30x90 cm / 12"x36" / White Frame Decor / Matt - Glossy



30x90 cm / 12"x36" / White Tesutto Decor / Matt-Glossy



30x90 cm / 12"x36" / White Square Decor / Matt-Glossy



30x90 cm / 12"x36" / White Strip Decor / Matt - Glossy



## Usage Areas





# TRIGO



40x120 cm / 16"x48" / White / Matt - Glossy



40x120 cm / 16"x48" / White Decor / Matt - Glossy



40x120 cm / 16"x48" / White Decor - Glossy




60x60 cm / 24"x24" / White - Matt/Glossy



60x60 cm / 24"x24" / Plus White - Matt



### Usage Areas



\* Valid only for 60x60 matt products.



**WALL&FLOOR**  
**OLIMPIA**

**6 MM COLLECTION**

**40x80** 6mm


**45x90** 6mm





# OLIMPIA

ULTRA THIN BY **seranit**



40x80 cm / 16"x32" / Black - Matt



40x80 cm / 16"x32" / Black - Matt



## Usage Areas



**WALL&FLOOR  
ALASKA**

**6 MM COLLECTION**

**40x80 6mm**

**45x90 6mm**



# ALASKA

ULTRA THIN BY **seranit**



40x80 cm / 16"x32" / White - Matt



40x80 cm / 16"x32" / White - Matt



## Usage Areas



**WALL&FLOOR**  
**ODIN**

**6 MM COLLECTION**

**40x80 6mm**

**45x90 6mm**





# ODIN

ULTRA THIN BY **seranit**



40x80 cm / 16"x32" / White - Matt



40x80 cm / 16"x32" / Black - Matt



## Usage Areas



**WALL&FLOOR  
FREZYA**

**6 MM COLLECTION**

40x80 6mm

45x90 6mm



# FREZYA

ULTRA THIN BY **seranit**



40x80 cm /16"x32"/ White - Matt



45x90 cm /18"x35"/ White - Matt

## Usage Areas



**WALL&FLOOR  
SPECTRA**

**6 MM COLLECTION**

**40x80 6mm**


**45x90 6mm**






# SPECTRA

ULTRA THIN BY **seranit**



40x80 cm / 16"x32" / White - Glossy



45x90 cm / 18"x35" / White - Matt



## Usage Areas



**WALL&FLOOR**  
**BETON**  
**ETNA**

**6 MM COLLECTION**

**40x80 6mm**

**45x90 6mm**



# BETON

ULTRA THIN BY **seranit**



45x90 cm /18"x35"/ Grey - Matt



45x90 cm /18"x35"/ Anthracite - Matt



# ETNA

ULTRA THIN BY **seranit**



45x90 cm /18"x35"/ Grey - Matt



Usage Areas



MICROMIX  
BRUSHED LINE

GLAZED PORCELAIN





# BRUSHED LINE

---



20x20 cm / 8"x8" / White - Matt




20x20 cm / 8"x8" / Cream - Matt



20x20 cm / 8"x8" / Grey - Matt




20x20 cm / 8"x8" / Taupe - Matt



20x20 cm / 8"x8" / Mix Decor - Matt

## Usage Areas

---




**MICROMIX  
BALI STONE**

GLAZED PORCELAIN



# BALI STONE

---



20x20 cm/8"x8"/Mix Brown - Matt

## Usage Areas

---





MICROMIX  
COUNTRYWOOD

GLAZED PORCELAIN





# COUNTRYWOOD

---




20x23 cm / 8"x13" / Brown Fon - Matt



20x23 cm / 8"x13" / Brown Decor - Matt



## Usage Areas



MICROMIX  
EFES MARBLE

GLAZED PORCELAIN



# EFES MARBLE



20x23 cm / 8"x9" / White - Matt



20x23 cm / 8"x9" / Rhino - Matt



20x23 cm / 8"x9" / Wenge - Matt



20x23 cm / 8"x9" / Black - Matt




White 4 Piece Decor



Rhino 4 Piece Decor



Wenge 4 Piece Decor



Black 4 Piece Decor

## Usage Areas



Fon Decor



MICROMIX  
IRIS


GLAZED PORCELAIN





# IRIS

---



20x20 cm / 8"x8" / Black-White Decor - Matt

## Usage Areas

---



MICROMIX  
NIKEA

GLAZED PORCELAIN





# NIKEA

---



20x23 cm / 8"x9" / White - Matt



20x23 cm / 8"x9" / Çini Decor - Matt



20x23 cm / 8"x9" / Blue - Matt




20x23 cm / 8"x9" / Flower Decor - Matt



## Usage Areas

---



MICROMIX  
ORION

GLAZED PORCELAIN





# ORION

---



20x20 cm / 8"x8" / Yellow-Green Çini Decor - Matt

## Usage Areas

---





MICROMIX  
ORLEANS


GLAZED PORCELAIN





# ORLEANS

---



20x20 cm / 8"x8" / Blue Decor - Matt

## Usage Areas

---



**MICROMIX  
PASTEL**

GLAZED PORCELAIN





# PASTEL




10x10 cm / 4"x4" / White - Matt



10x10 cm / 4"x4" / Cream - Matt



10x10 cm / 4"x4" / Grey - Matt



10x10 cm / 4"x4" / Blue - Matt




10x10 cm / 4"x4" / Taupe - Matt



10x10 cm / 4"x4" / Brown - Matt



10x10 cm / 4"x4" / Anthracite - Matt



## Usage Areas



\*12 pieces 10x10 tiles are presented with nets.

**MICROMIX  
PAVIMENTO**


GLAZED PORCELAIN





# PAVIMENTO

---



20x20 cm / 8"x8" / Black-White Decor - Matt

## Usage Areas

---








# SPECTRA

---



10x30 cm /4"x12" / White - Matt



10x30 cm /4"x12" / Red - Matt



10x30 cm /4"x12" / Blue - Matt



10x30 cm /4"x12" / Pink - Matt



10x30 cm /4"x12" / Yellow - Matt



10x30 cm /4"x12" / Green - Matt



10x30 cm /4"x12" / Black- Matt


---

## Usage Areas



MICROMIX  
**COMETA**

GLAZED PORCELAIN



20x23 cm / 8"x13" / White Decor - Matt


Usage Areas





# MICROMIX SICURO

GLAZED PORCELAIN



20x23 cm / 8"x9" / White Decor - Matt

Usage Areas




# MICROMIX TREVO

GLAZED PORCELAIN



# TREVO

---



20x20 cm / 8"x8" / Black-White Decor - Matt

### Usage Areas

---





MICROMIX  
TULIPA

GLAZED PORCELAIN





# TULIPA



20x20 cm / 8"x8" / White Decor - Matt

Usage Areas



TERRAZZO

GLAZED PORCELAIN





# TERRAZZO


## Terrazzo Doty



60x60 cm / 24"x24" / White  
Terrazzo Doty - Matt



60x60 cm / 24"x24" / Cream  
Terrazzo Doty - Matt




60x60 cm / 24"x24" / Taupe  
Terrazzo Doty - Matt




60x60 cm / 24"x24" / Anthracite  
Terrazzo Doty - Matt

## Terrazzo Flake




60x60 cm / 24"x24" / White  
Terrazzo Flake - Matt



60x60 cm / 24"x24" / Cream  
Terrazzo Flake - Matt



60x60 cm / 24"x24" / Taupe  
Terrazzo Flake - Matt



60x60 cm / 24"x24" / Anthracite  
Terrazzo Flake - Matt

## Terrazzo Sandy



60x60 cm / 24"x24" / White  
Terrazzo Sandy - Matt



60x60 cm / 24"x24" / Cream  
Terrazzo Sandy - Matt



60x60 cm / 24"x24" / Taupe  
Terrazzo Sandy - Matt



60x60 cm / 24"x24" / Anthracite  
Terrazzo Sandy - Matt

## Usage Areas



\*Valid only for flake version

**TERRAZZO  
LITTA**

GLAZED PORCELAIN






60x120 cm /24"x48"/ White - Lappato



60x60 cm /24"x24"/ White - Lappato



60x60 cm /24"x24"/ Beige - Lappato



60x60 cm /24"x24"/ Blue - Lappato



60x60 cm /24"x24"/ Grey - Lappato



60x60 cm /24"x24"/ Smoked - Lappato

## Usage Areas

---







Deep Stone



# TECHNICAL INFORMATIONS






Fibre



# Usage Areas



INDOOR




WALL




ANTI-SLIP



SUITABLE WITH FACADE SYSTEMS



FLOOR - HOUSE



RECTIFIED



OUTDOOR FLOOR & WALL



OUTDOOR



FLOOR - COMMON AREAS



FROST RESISTANCE

# Slip Resistance

DIN 51130 SLIPPING STANDARD



VALUE

SLIPING ANGLE

Porcelain tiles have different slip resistance depending their surfaces. The usage area of tiles are related to their slip resistance values. This values are rated between 9 and 13, also indicated by R rating. The selection of tiles are subject to type of area and its slip resistance requirement.

R<sub>9</sub>

6° <= Angle <= 10°

R<sub>10</sub>

10° <= Angle <= 19°

R<sub>11</sub>

19° <= Angle <= 27°

R<sub>12</sub>

27° <= Angle <= 35°

R<sub>13</sub>

35° <= Angle <= Higher

# Color Shade Variation Guide



V<sub>1</sub>

UNIFORM

The least amount of shade and texture variation within each box.



V<sub>2</sub>

SLIGHT

Moderate shade and texture variation within each box.



V<sub>3</sub>

HIGH

High shade and texture variation within each box.



V<sub>4</sub>

RANDOM

Very high shade and texture variation within each box.

# PRODUCT TECHNICAL CHARACTERISTICS

EN 14411 (ISO 13006) Annex G (normative) Dry-pressed ceramic tiles with low water absorption  $E \leq 0.5\%$  Group BIa GL

SYMBOLS	TECHNICAL CHARACTERISTICS		NORMS	REQUIRED VALUES	TSE DOUBLE STAR STANDARD VALUES
	Dimensions and surface quality	Length and Width	ISO 10545-2	$N \geq 15 \text{ cm} \pm \%0.6, \pm 2 \text{ mm}$	
		Thickness	ISO 10545-2	$N \geq 15, \pm 5\%, \pm 0.5 \text{ mm}$	
		Rectangularity	ISO 10545-2	$\pm 0.5\%, \pm 2 \text{ mm}$	
		Straightness of sides	ISO 10545-2	$\pm 0.5\%, \pm 1.5 \text{ mm}$	
		Surface flatness	ISO 10545-2	$\pm 0.5\%, \pm 2 \text{ mm}$	
	Water absorption		ISO 10545-3	$\leq 0.5\%$	$\leq 0.3\%$
	Breaking Strength (Newton)	Thickness $\geq 7.5 \text{ mm}$	ISO 10545-4	$S \geq 1300 \text{ N}$	$S \geq 1800 \text{ N}$
	Modulus of rupture (N/mm <sup>2</sup> )			$R \geq 35 \text{ N / mm}^2$	$R \geq 40 \text{ N / mm}^2$
	Impact resistance by measurement of coefficient of restitution		ISO 10545-5	Test method available	
	Resistance to deep abrasion - Unglazed tiles		ISO 10545-6	$\leq 175 \text{ mm}^3$	
	Resistance to surface abrasion - intended for use on floors		ISO 10545-7	Reported abrasion class and cycles	
	Determination of linear thermal expansion		ISO 10545-8	Test method available	
	Resistance to thermal shock		ISO 10545-9		
	Moisture expansion, in mm/m'e		ISO 10545-10		
	Crazing resistance		ISO 10545-11		Required
	Frost resistance		ISO 10545-12		
	Resistance to low concentrations of acids and alkalis		ISO 10545-13	Manufacturer to state classification	
	Resistance to high concentrations of acids and alkalis			Test method available	
	Resistance to household chemicals and swimming pool salts			Min. Sınıf B	
	Resistance to stains		ISO 10545-14	Test method available	
	Lead and cadmium given off by tiles		ISO 10545-15	Test method available (mg/dm <sup>2</sup> )	
	Surface hardness Mohs		EN 101		
	Skid resistance		DIN 51130 UNE-ENV 12633:2003		
	Color resistance to light		DIN 51094	Not any noticeable color change	

## NOTES

Seranit recommends a joint of min. 3 mm for optimal installation results.

The test results refer only to first choice items and they do not regard the trimtiles.  
The values are based on average production values.












Seranit granit seramik reserve the right to modify technical and formal details included in this catalog.

GROUP - 1		GROUP - 2		GROUP - 3		
MATT	POLISHED	MATT	LAPPATO	LAPPATO	FULL LAPPATO	POLISHED
± 0.4%, ± 1 mm	± 0.4%, ± 1 mm	± 0.4%, ± 1 mm	± 0.4%, ± 1 mm	± 0.4%, ± 1 mm	± 0.4%, ± 1 mm	± 0.4%, ± 1 mm
± 4%, ± 0.3 mm	± 4%, ± 0.3 mm	± 4%, ± 0.3 mm	± 4%, ± 0.3 mm	± 4%, ± 0.3 mm	± 4%, ± 0.3 mm	± 4%, ± 0.3 mm
± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm	± 0.4%, ± 1.5 mm
± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm	± 0.3%, ± 1.0 mm
0.3%, ± 1.5 mm	0.3%, ± 1.5 mm	0.3%, ± 1.5 mm	0.3%, ± 1.5 mm	0.3%, ± 1.5 mm	0.3%, ± 1.5 mm	0.3%, ± 1.5 mm
≤ 0.06%	≤ 0.06%	≤ 0.06%	≤ 0.06%	≤ 0.06%	≤ 0.06%	≤ 0.06%
> 2500	> 2500	> 2500	> 2500	> 2500	> 2500	> 2500
≥ 45	≥ 45	≥ 45	≥ 45	≥ 45	≥ 45	≥ 45
0.81	0.81	0.81	0.81	0.81	0.81	0.81
Average 131 mm <sup>3</sup>	Average 131 mm <sup>3</sup>	-	-	-	-	-
-	-	≥3	≥3	≥3	≥2	≥2
6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C	6.0 x 10 <sup>-6</sup> / °C
Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant
0.1	0.1	0.1	0.1	0.1	0.1	0.1
Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant
Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant
LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	Beyan edilen	HA
A	A	A	A	A	A	A
≥3	≥3	5	5	5	5	5
Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01	Pb <0.1 Cd <0.01
8	7	6	6	6	6	6
Please check the serie in the list for antislip rate						
Resistant	Resistant	Resistant	Resistant	Resistant	Resistant	Resistant



# WALL TILE PRODUCT TECHNICAL CHARACTERISTICS

EN 14411 (ISO 13006) Annex L (normative) Dry-pressed ceramic tiles E>10 Group BIII, GL

SYMBOLS	NORMS	TECHNICAL CHARACTERISTICS	
	ISO 10545-2	<i>Dimensions and surface quality</i>	<i>Length and width</i>
			<i>Thickness</i>
			<i>Rectangularity</i>
			<i>Straightness of sides</i>
			<i>Surface flatness</i>
	ISO 10545-3	<i>Water absorption</i>	
	ISO 10545-4	<i>Breaking strength (Newton)</i>	<i>Thickness ≥ 7.5mm</i>
		<i>Modulus of rupture (N/mm<sup>2</sup>)</i>	
	ISO 10545-8	<i>Determination of linear thermal expansion</i>	
	ISO 10545-9	<i>Resistance to thermal shock</i>	
	ISO 10545-10	<i>Moisture expansion, in mm/m'e</i>	
	ISO 10545-11	<i>Crazing resistance</i>	
	ISO 10545-13	<i>Resistance to low concentrations of acids and alkalis</i>	
		<i>Resistance to high concentrations of acids and alkalis</i>	
		<i>Resistance to household chemicals and swimming pool salts</i>	
	ISO 10545-14	<i>Resistance to stains</i>	
	ISO 10545-15	<i>Lead and cadmium given off by tiles</i>	
	DIN 51094	<i>Color resistance to light</i>	
	EN 12004:2007+A1:2012, 4.1 EN 12004:2007+A1:2012, 4.2 EN 12004:2007+A1:2012, 4.3 EN 1015:12'	<i>Bond strength/adhesion</i> A) Cementitious adhesives B) Dispersion adhesives C) Reaction resin adhesives D) Mortar	
		<i>Radioactivity</i>	
	(Class A1 or A1 <sub>FL</sub> ) <sup>m</sup>	<i>Reaction to fire</i>	

	REQUIRED VALUES	SERANIT DECLARED VALUES <i>Average values of production</i>
	N ≥ 15 cm. ± 0,5% ± 2,0 mm	% 0.4, ± 0,5 mm
	N ≥ 15 cm. ± 10% ± 0,5 mm	%5, ±0,3 mm
	± 0.5% , ± 2 mm	% 0.3, ±1,2 mm
	± 0.5% , ± 1,5 mm	% 0.4, ± 1,2 mm
	Centre curvature: +%0,5, -%0,3 +2 mm -1,5 mm Edge curvature: %0,5, -%0,3 +2 mm, -1,5 mm Warpage: ±%0,5 ±2,0 mm	Centre curvature: +%0,5, -%0,3 +1,5 mm -1,2 mm Edge curvature: %0,5, -%0,3 +1,5 mm , -1,2 mm Warpage: ±%0,5 ±1,5 mm
	<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>	<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>
	E >10%	ort./ave. %17
	S ≥ 600 N	>1100N
	R ≥12 N / mm <sup>2</sup>	ort./ave. 21Nmm <sup>2</sup>
	<i>Manufacturer to state classification</i>	5,51 X 10 <sup>-6</sup> /°c
	<i>Required</i>	<i>Resistant</i>
	<i>Manufacturer to state classification</i>	0,3 mm/m
	<i>Required</i>	<i>Resistant</i>
	<i>Manufacturer to state classification</i>	LA
	<i>Manufacturer to state classification</i>	HA
	<i>Min. B</i>	A
	<i>Min. Class 3</i>	5
	<i>Manufacturer to state classification (mg/dm<sup>2</sup>)</i>	Pb <0,1 Cd<0,01
	<i>Not any noticable color change</i>	<i>Resistant</i>
	<i>Declared value</i>	A) ≥ 0,5 N/mm <sup>2</sup> B) ≥ 1 N/mm <sup>2</sup> C) ≥ 2 N/mm <sup>2</sup> D) <i>Efficiency not ascertained</i>
		≤ 1,0 <sup>+0.1</sup>
	A1FL veya/or A1	A1

# FLOOR TILE PRODUCT TECHNICAL CHARACTERISTICS

EN 14411 (ISO 13006) Annex H (normative) Dry-pressed ceramic tiles with low water absorption  $0,5\% < E \leq 3$  Group BIb GL

SYMBOLS	NORMS	TECHNICAL CHARACTERISTICS	
	ISO 10545-2	Dimensions and surface quality	Length and width
			Thickness
			Rectangularity
			Straightness of sides
			Surface flatness
			Surface quality
	ISO 10545-3	Water absorption	
	ISO 10545-4	Breaking strength (Newton)	Thickness $\geq 7.5$ mm
		Modulus of rupture (N/mm <sup>2</sup> )	
	ISO 10545-5	Impact resistance by measurement of coefficient of restitution	
	ISO 10545-7	Resistance to surface abrasion - intended for use on floors	
	ISO 10545-8	Determination of linear thermal expansion	
	ISO 10545-9	Resistance to thermal shock	
	ISO 10545-10	Moisture expansion, in mm/m'e	
	ISO 10545-11	Crazing resistance	
	ISO 10545-12	Frost resistance	
	ISO 10545-13	Resistance to low concentrations of acids and alkalis	
		Resistance to high concentrations of acids and alkalis	
		Resistance to household chemicals and swimming pool salts	
	ISO 10545-14	Resistance to stains	
	ISO 10545-15	Lead and cadmium given off by tiles	
	ISO 10545-16	Small color differences	
	EN 101	Surface hardness Mohs	
	CEN/TS 16165 DIN 51130	Skid resistance	
	DIN 51094	Color resistance to light	
	EN 12004:2007+A1:2012, 4.1 EN 12004:2007+A1:2012, 4.2 EN 12004:2007+A1:2012, 4.3 EN 1015:12'	Bond strength/adhesion A) Cementitious adhesives B) Dispersion adhesives C) Reaction resin adhesives D) Mortar	
		Radioactivity	
	(Class A1 or A1 <sub>FL</sub> ) <sup>n</sup>	Reaction to fire	

\* Resistance to surface abrasion product to product ranges.  
\*\*Products are made in the desired surface hardness.



REQUIRED VALUES	SERANIT DECLARED VALUES <i>Average values of production</i>
N ≥ 15 cm ±0,6, ±2 mm	±0,5%, ±0,5 mm
N ≥ 15, ±5%, ±0.5%	±4%, ±0,3 mm
±0.5%, ±2 mm	±0,4%, ±1,2 mm
±0.5%, ±1,5 mm	±0,3%, ±1,0 mm
±0.5%, ±2 mm	Centre curvature: 0,3%, ±1,5 mm Edge curvature: 0,3%, ±1,5 mm Warpage: 0,3%, ±1,5 mm
<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>	<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>
0.5% < E ≤ 3% individual max. %3,3	ort./ave. E ≤ 2,80% individual max. %3,0
S ≥ 1100 N	S ≥ 1800 N
R ≥ 30 N / mm <sup>2</sup>	R > 35 N / mm <sup>2</sup>
<i>Test method available</i>	<i>Affirmative</i>
<i>Reported abrasion class and cycles</i>	ort. 3, devir 600
<i>Test method available</i>	6.05 x 10 <sup>-6</sup> / °C
<i>Test method available</i>	<i>Resistant</i>
<i>Test method available</i>	0,1 mm/m
<i>Required</i>	<i>Resistant</i>
<i>Required</i>	<i>Resistant</i>
<i>Manufacturer to state classification</i>	LA
<i>Test method available</i>	HA
<i>Min. B</i>	A
<i>Test method available</i>	5
<i>Test method available (mg/dm<sup>2</sup>)</i>	Pb < 0,1    Cd < 0,01
<i>Glazed: ΔE &lt; 0,75</i>	ΔE < 0,75
<i>Test method available</i>	min. 6 **
<i>Test method available</i>	--
<i>Not any noticable color change</i>	<i>Resistant</i>
<i>Declared value</i>	A) ≥ 0,5 N/mm <sup>2</sup> B) ≥ 1 N/mm <sup>2</sup> C) ≥ 2 N/mm <sup>2</sup> D) <i>Efficiency not ascertained</i>
	≤ 1,0 <sup>+0,1</sup>
or A1	A1FL

# GLAZED PORCELAIN TILE PRODUCT TECHNICAL CHARACTERISTICS

EN 14411 (ISO 13006) Annex G (normative) Dry-pressed ceramic tiles with low water absorption  $E \leq 0,5\%$  Group BIa GL

SYMBOLS	NORMS	TECHNICAL CHARACTERISTICS	
	ISO 10545-2	Dimensions and surface quality	Length and width
			Thickness
			Rectangularity
			Straightness of sides
			Surface flatness
			Surface quality
	ISO 10545-3	Water absorption	
	ISO 10545-4	Breaking strength (Newton)	Thickness $\geq 7.5\text{mm}$
		Modulus of rupture (N/mm <sup>2</sup> )	
	ISO 10545-5	Impact resistance by measurement of coefficient of restitution	
	ISO 10545-7	Resistance to surface abrasion - intended for use on floors	
	ISO 10545-8	Determination of linear thermal expansion	
	ISO 10545-9	Resistance to thermal shock	
	ISO 10545-10	Moisture expansion, in mm/m'e	
	ISO 10545-11	Crazing resistance	
	ISO 10545-12	Frost resistance	
	ISO 10545-13	Resistance to low concentrations of acids and alkalis	
		Resistance to high concentrations of acids and alkalis	
		Resistance to household chemicals and swimming pool salts	
	ISO 10545-14	Resistance to stains	
	ISO 10545-15	Lead and cadmium given off by tiles	
	ISO 10545-16	Small color differences	
	EN 101	Surface hardness Mohs	
	CEN/TS 16165 DIN 51130	Skid resistance	
	DIN 51094	Color resistance to light	
	EN 12004:2007+A1:2012, 4.1 EN 12004:2007+A1:2012, 4.2 EN 12004:2007+A1:2012, 4.3 EN 1015:12'	Bond strength/adhesion A) Cementitious adhesives B) Dispersion adhesives C) Reaction resin adhesives D) Mortar	
		Radioactivity	
	(Class A1 or A1 <sub>FL</sub> ) <sup>m</sup>	Reaction to fire	

\* Resistance to surface abrasion product to product ranges.  
 \*\*Products are made in the desired surface hardness.  
 \*\*\*Skid resistance product to product ranges. ort. R9/avr. R9

REQUIRED VALUES	SERANIT DECLARED VALUES <i>Average values of production</i>
N ≥ 15 cm ±0,6, ±2 mm	±0,5%, ±0,5 mm
N ≥ 15, ±5%, ±0,5%	±4%, ±0,3 mm
±0.5%, ±2 mm	±0,4%, ±1,2 mm
±0.5%, ±1,5 mm	±0,3%, ±1,0 mm
±0.5%, ±2 mm	Centre curvature: 0,3% ±1,5 mm Edge curvature: 0,3%, ±1,5 mm Warpage: 0,3%, ±1,5 mm
<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>	<i>A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles</i>
E ≤ 0.5%, individual max.%0.6	ort./ave.E ≤ 0,40 %, (individual max.) %0.5
S ≥ 1300 N	S ≥ 2200
R ≥ 35 N / mm <sup>2</sup>	R ≥ 40
<i>Manufacturer to state classification</i>	0,81
<i>Reported abrasion class and cycles</i>	ort. 3, devir 600
<i>Manufacturer to state classification</i>	7,58 x 10 <sup>-6</sup> / °C
<i>Required</i>	<i>Resistant</i>
<i>Manufacturer to state classification</i>	0,1
<i>Required</i>	<i>Resistant</i>
<i>Required</i>	<i>Resistant</i>
<i>Manufacturer to state classification</i>	LA
<i>Test method available</i>	HA
Min.B	A
Min. 3	5
<i>Manufacturer to state classification (mg/dm<sup>2</sup>)</i>	Pb <0,1 Cd<0,01
Glazed: ΔE < 0,75	ΔE < 0,75
<i>Test method available</i>	ave. 6 **
<i>Test method available</i>	***
<i>Not any noticable color change</i>	<i>Resistant</i>
<i>Declared value</i>	A) ≥ 0,5 N/mm <sup>2</sup> B) ≥ 1 N/mm <sup>2</sup> C) ≥ 2 N/mm <sup>2</sup> D) <i>Efficiency not ascertained</i>
A1FL or A1	≤ 1,0 <sup>+0,1</sup> A1FL



### Environmental Product Declaration, EPD

The Seranit Group holds EPD certificates for all its ceramic product groups, including porcelain tiles, wall tiles and floor tiles. In the process of the EPD certification, the Seranit Group reviews and transparently declares all environmental impacts from the processing of raw materials in its production and applications. With EPD certified ceramic products, the Seranit Group enables its customers to receive high scores during the certification process of their green building projects. Thanks to its EPD certificates, the Seranit Group offers implementers and investors the most accurate environmental information accessible on the respective building materials through scalable and comparable results.

### Life Cycle Assessment, LCA

The Seranit Group, which completed LCA and EPD certification processes in order to get additional points for its building products at LEED, aims to bring advantages to its customers during certification procedures. In addition to presenting its customers with benefits in the world’s rapidly developing green building markets, the Seranit Group also aims to comply with the laws of the European Union and the requirements of the export market. The Seranit Group has also prepared the infrastructure for eco-design and eco-innovation opportunities through its LCA approach.

### Climate Declarations

The Seranit Group carried out a comprehensive carbon footprint project in order to increase awareness in regards to the greenhouse gas emissions of all its products and operations, and to meet its responsibilities in global warming and environmental issues through strategic precautions.

### ECO Platform

The Seranit Group enables the use of EPD certificates and declarations both in Europe and at the international level with its ECO Platform membership.





Environmental Management System Certificate



Environmental Management System Certificate



ISO 9001 Certificate



Occupational Health And Safety Management System Certificate



ISO 9001 Quality Management System Certificate



Occupational Health And Safety Management System Certificate



Environmental Product Declaration, EPD



TS EN 14411 Certificate of Conformity to Turkish Standards



Russia - Gost Certificate



Russia - Hygiene Certificate



Ukraine - Sepro Certificate



Ukraine - Sepro Certificate For Facade



France - CSTB NF UPEC



Poland Hygiene Certificate



Poland Radiation Certificate

# seranit

## HEAD OFFICE

Paşalimanı Caddesi  
Hüseyin Baykara Sok.No:1  
Üsküdar, İstanbul

+90 212 340 74 00

## BİLECİK STORE

Hürriyet 1. Organize  
Sanayi Bölgesi Mahallesi,  
Ata Bulvarı No: 16/1  
Merkez, Bilecik

+90 228 214 01 00

## İNÖNÜ STORE

İnönü Kütahya Yolu 4.Km  
İnönü, Eskişehir

+90 222 591 36 34

+90 222 591 36 87

## İSTANBUL BOSTANCI STORE

E5 Karayolu Bostancı Kavşağı,  
İçerenköy Mah. Kartal Sok.  
No: 3 Bostancı, İstanbul

+90 216 577 74 53

+90 216 577 74 54

## İSTANBUL MASLAK STORE

Maslak Mahallesi, Atatürk  
Oto Sanayi 53. Sokak No:3/A  
Sarıyer, İstanbul

+90 212 340 74 00

## ADANA STORE

Kurtuluş Mahallesi, Ziyapaşa  
Bulvarı, Refah Ap. No: 23/1A  
Seyhan, Adana

+90 212 340 74 00

## İZMİR STORE

Soğukkuyu mh.1595 Sk.  
No :27/A Bayraklı, İzmir

+90 (232) 457 50 00

## SERANIT USA LLC

11417 IL-19 Franklin Park IL60131  
+1 312 826 0544

## SERANIT FRANCE

Seranit Granit Seramik Sanayi AS  
23 Rue Du Roule 75001 Paris 1

## SERANIT DEUTSCHLAND

Hanauer Landstr. 360,  
D-60386 Frankfurt am Main

**CREATIONS**  
*The Ultimate In Bathroom Elegance*

Mdina Road Attard  
Tel. 21411 541 / 21417 616  
email: info@creationsomni.com

info@seranit.com.tr export@seranit.com.tr

seranit.com.tr | seranitceramics