

Concealed single-lever mixer with diverter

LISSE

36 120 845



- automatic diverter
- cover plate 150 x 90 mm

	Chrome	36 120 845-00
	Brushed Platinum	36 120 845-06
	Matte Black	36 120 845-33
	Brushed Chrome	36 120 845-93

Required miscellaneous



Concealed single-lever mixer with backflow preventor 35 021 970 90

- min. recess depth 80 mm
- max. recess depth 105 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction 12 340 970 90


Required miscellaneous



Concealed single-lever mixer 35 020 970 90


- min. recess depth 80 mm
- max. recess depth 105 mm

Required miscellaneous




xGRID Installation track 555 mm 12 360 970 90

36 120 845



Flow rate chart




Certificates

LGA_19863

WRAS_2207012

Date of
manufacture
from 2/20/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 05 039 00 90	Cartridge blue Ø 40 x 75 mm	1	2
2	09 24 04 448 90	Mounting Nut Ø 42 x 17 mm	1	2
3	09 14 10 084 90	O-Ring EPDM 70 48 x 3,5 mm	1	2
4	09 11 02 301-00	Rosette for bath 150 x 90 x 9,3 mm	1	10
5	09 11 02 260-00	Cover Ø 50 x 58 mm	1	10
6	09 20 84 022-00	Handle Lever 50 x 39,03 x 109,5 mm	1	10
7	09 31 11 030 90	Mounting Threaded pin with hexagon socket with cup point M5 x 5 mm	1	2
8	90 31 20 087 00-00	Cover Ø 7 x 2,1 mm	1	10
9	90 31 09 139 00-00	Pull rod for diverter with button Ø 26 x 47,3 mm	1	10
10	90 21 34 081 00 90	Diverter 98 x 64 x 64 mm	1	2
11	09 30 09 064 90	Spanner for concealed single-lever mixer Torque wrench 10 Nm	1	2